


10/541096


1/11

FIG. 1



2/11



FIG. 2



10/541096


3/11

FIG. 3




4/11

FIG. 4




5/11

FIG. 5




6/11

FIG. 6



7/11

FIG. 7



10/541096


8/11

FIG. 8

SAMPLES	PARTIAL PRESSURE OF C ₄ F ₈ GAS (mTorr)	VOLUME RATIO OF MATRIX (vol%)	ρ ($\mu \Omega \text{ cm}$)	MAGNETIC PROPERTIES			PERMEABILITY PROPERTIES AT HIGH FREQUENCIES				REMARKS
				Bs (T)	Hce (Oe)	Hch (Oe)	RESONANCE FREQUENCY (GHz)	μ' (at 1GHz)	μ'' (at 1GHz)	Q (at 1GHz)	
1	0	0	60	2.20	144.0	35.0	>>2.0	—	—	—	COMPARATIVE EXAMPLE
2	0.4	10	440	1.25	16.5	12.6	>>2.0	100	15	7	PRESENT INVENTION
3	0.6	16	790	0.94	16.0	14.5	>>2.0	70	15	5	PRESENT INVENTION
4	0.8	24	2190	0.61	22.6	7.1	>>2.0	50	10	5	PRESENT INVENTION
5	1.0	26	2020	0.54	14.3	9.0	>>2.0	50	10	5	PRESENT INVENTION

9/11

FIG. 9



10/541096

10/11

FIG. 10B

$\text{PC}_4\text{F}_8 = 0.8 \text{ mTorr}$





FIG. 10A

$\text{PC}_4\text{F}_8 = 0.4 \text{ mTorr}$



11/11

FIG. 11

